



Simple. Versatile. Secure

This additional camera supplements an ABUS Battery Cam Pro with Base Station. You can operate up to 4 cameras per base station.

Video surveillance installed quickly and cleanly, super easy to put into operation: that's what you get with this smart add-on camera.

It's that simple: Open the packaging, switch on the camera, scan the QR code - the app will then explain everything step by step. Afterwards, the camera can be placed flexibly thanks to its large wireless range and practical design - independent of a power connection.

You can configure your personal settings via the app in no time at all: Depending on the local situation, you can completely hide private or public areas in the picture. If you wish, the camera will only notify you of people via push notifications - and ignore animals, vehicles, leaves in the wind etc.

The weatherproof camera easily withstands rain, snow and strong sunlight. The integrated white light LED ensures clear colour images even in the dark. Whether indoors or outdoors: This way you can keep an eye on your home and your loved ones and deter intruders. Practical: The app and camera can be used like an intercom system (talk to delivery person or friends at the front door).

Note: The corresponding base station is required for operation. Up to 4 battery cameras can be operated with one base station.

Tip: The separately available ABUS solar panel extends the battery life and even makes the camera completely self-sufficient in good conditions.

Technologies

- Surveillance camera with wireless, rechargeable battery, person detection, push notification in case of motion alarm, intercom function, colour images even at night plus free access via mobile phone and tablet app App2Cam

Plus

- Required for operation: ABUS Battery Camera Pro with Base Station
- Flexible wireless camera for outdoors & indoors; weatherproof (protection class IP65); 120-degree viewing angle; place on a shelf indoors as required, outdoors with practical ball-head mount
- Quickly ready for use thanks to simple commissioning (in just a few minutes with app assistant); permanent free access to live stream, memory and all functions and personal settings (white light LED, etc.) via app
- Fully-automatic person detection and push notification by app (ignores vehicles/animals); automatic recording start (ignores branches swaying in the wind etc.)
- Completely hide/black out private zones (e.g. public properties); data protection-compliant recording (audio off; depending on use on site, permanently store video data or automatically delete after 3, 7 or 30 days)
- Intelligent battery management; battery life thus up to 6 months (with approx. 4 recordings/accesses per day; the battery life is reduced by more frequent/longer use, heat/frost or greater distance from the base station)
- 3 megapixel resolution; clear and detailed night vision in colour
- Part of ABUS Comfort-Line & Smart Security World; compatible with Smartvest wireless alarm system

Technical data - 4003318981463

| | |
|---------------------------|---|
| Alarming | Push notification |
| Audio bitrate | 64kbps |
| Audio compression | g711 |
| Audio input | Microphone |
| Audio output | Loudspeaker |
| Battery type | 2 x 18650 Li-Ion rechargeable batteries |
| Colour | Black / White |
| Colour temperature | 3000 K |
| Compatibility | Smartvest wireless system |
| Compatible with Secoris | No |
| Compatible with Secvest | No |
| Compatible with Smartvest | Yes |
| Compatible with wAppLoxx | No |
| DC voltage supply | 5 V |
| DSP | Ingenic T30 |
| Day/night switching | Auto |
| Dimensions | 103 x 51 x 54 mm |
| Encryption | WPA2 |
| Focal length | 2,9 mm |
| Frequency range | 2,4 GHz |
| Functions | 2-way audio, Night vision, People recognition, Zoom |
| Horizontal viewing angle | 120 ° |
| Housing material | Plastic |

Technical data - 4003318981463

| | |
|-----------------------------------|--|
| IP protection class | 65 |
| Image sensor | Sony IMX307 |
| LED white light brightness | 28 lm |
| Max. humidity | 90 % |
| Max. operating temperature | 50 °C |
| Max. resolution @ frame rate | 3 MP @ 15fps |
| Microphone | Yes |
| Min. humidity | 0,1 |
| Min. operating temperature | -20 °C |
| Minimum illumination (colour) | 1 lx |
| Motion detection | PIR person detection / PIR motion detection |
| Network protocols | 802.11 b/g/n |
| Number of users | 3 |
| PIR range | 8 m |
| PIR viewing angle | 112 ° |
| Plug type | USB-C |
| Power supply | Rechargeable battery, Solar |
| Private zones | 3 |
| Rechargeable battery | Yes |
| Rechargeable battery running time | up to 6 months (depending on local conditions) |
| Recording modes | PIR person detection / PIR motion detection / Manual |
| Resolution modes | VGA / 720p / 1080p / 3 MP |
| Simultaneous network access | 3 |
| Software | App: ABUS App2Cam Plus (Android/iOS) |
| Technology | Network |
| Vertical viewing angle | 75 ° |
| Video Content Analysis (VCA) | Person detection |
| Video compression | H.264 |
| White balance | AWB |
| White-light LEDs | 1 |
| Wireless range | 10-30 metre, depending on local conditions m |